

PRODUCTS CATALOGUE



TABLE OF CONTENTS

DAKO GROUP.....	5
DAKO OFFER	
PVC DOORS AND WINDOWS	
PVC WINDOWS.....	8
PVC WINDOW SERIES.....	8
TABLE OF PVC WINDOWS ACCESSORIES.....	10
OTHER PVC SOLUTIONS.....	14
PVC DOOR SERIES.....	15
WOODEN DOORS AND WINDOWS	
WOODEN WINDOWS.....	18
WOODEN WINDOW SERIES.....	18
TABLE OF WOODEN WINDOWS ACCESSORIES.....	20
OUTSIDE WOODEN DOOR.....	22
WOODEN DOOR SERIES.....	22
ALUMINIUM JOINERY	
DOOR-WINDOW JOINERY.....	26
DOORS AND WINDOWS IN ALUPROF ALUMINIUM SYSTEMS.....	26
DOORS AND WINDOWS IN ALIPLAST ALUMINIUM SYSTEMS.....	29
TABLE OF ALUMINIUM SYSTEMS ACCESSORIES.....	30
OUTSIDE ALUMINIUM DOOR.....	32
ALUMINIUM DOOR SERIES.....	33
DK-PROF OFFER	
SEGMENTAL GARAGE DOOR.....	36
ROLLER GARAGE DOOR.....	36
INDUSTRIAL SEGMENTAL DOOR.....	37
TABLE OF GARAGE DOORS ACCESSORIES.....	38
ROLLER BLINDS.....	39
TABLE OF ROLLER BLINDS COLOURS.....	40
TEXTILE ROLLER BLINDS.....	42
TABLE OF TEXTILE ROLLER BLINDS ACCESSORIES.....	42
MOSQUITO SCREENS.....	43

DAKO



PVC joinery



Wood joinery



Aluminium joinery

DAKO GROUP

DAKO Windows Factory is a long story of innovations which are to provide the customers from all over the world with the top-quality products.

We have been producing the top-quality PVC, wooden, aluminium and steel joinery for over 15 years and constantly raising its quality. It is possible due to the constant modernization of offer and production process. We have been introducing new technological solutions in order to come up better to customers' expectations. We have invested in the development of 20 000 m² production hall with the latest generation machines for the production of PVC, wood and aluminium doors and windows as well as profile bander and powdery paint shop for aluminium and steel elements varnishing.

The company development lets us increase the offer in accordance with market needs. It provides for aluminium joinery and fire-resistant and steel doors besides PVC and wooden doors and windows.

Within DK-PROF company which belongs to the lately founded DAKO Group, we also produce standard and industrial garage door, roller blinds, textiles and mosquitoes.

The most important for us is the home market. However, our actions have an international scope- more than half of production is exported to foreign European countries including the Czech Republic, Austria, Germany, Belgium,

France, Italy, Spain, Sweden, Slovenia, Greece, Switzerland and Ireland as well as Japan, Tunisia and many other world countries.

The success of such a complex venture is possible due to the consequent and effective realization of management strategy. It resulted in the leading company position on the market, ability of the most difficult architectural tasks performance and potential to further development. The final measure of DAKO success is nearly a million windows which were purchased by satisfied customers.

DAKO company offer:

- » PVC doors and windows
- » Wooden doors and windows
- » Aluminium joinery including: doors and windows, facades, sky-lights, rotundas, verandas, vestibules, winter gardens and others
- » Fire-resistant doors
- » Steel doors

DK-PROF of DAKO Group offer:

- » Garage doors and industrial doors
- » Roller blinds
- » Textile roller blinds
- » Mosquito screens



Profile veneering



Powdery paint shop



Distribution



PVC DOORS AND WINDOWS




PVC WINDOWS

Modern PVC windows produced by DAKO come up to customers' expectations regarding high thermal insulation as well as anti-burglary and noise protection. All PVC windows are made of VEKA highest A class profiles. DAKO company offers the wide range of colours and patterns as

well as additional elements such as: pane bars, handles, special glasses, ventilators and window sills. The company specialises in complex, customized solutions and building situation starting with standard windows, through exclusive ones and finishing with modern glazings.

PVC WINDOW SERIES

WINDOW DPT-90/DPTS-90



WINDOW DPE-70



- » 5-chamber 70 mm profile
- » glass packet 32 mm (rounded list) and from 33 mm to 42 mm (classic list)
- » rounded frame and sash edges
- » full steel in frame
- » 2 retractable seals

WINDOW DPE-70+



- » 5-chamber 70 mm profile
- » semi-surfaced sash and frame
- » glass packet to 32 mm (rounded list) and from 33 mm to 42 mm (classic list)
- » rounded frame and sash edges
- » full steel in frame
- » 2 retractable seals

WINDOW DPP-70



- » 5-chamber 70 mm profile
- » glass packet to 42 mm
- » classic frame and sash
- » full steel in frame
- » 2 retractable seals
- » possibility of making different constructions

WINDOW DPO-70



- » 5-chamber 70 mm profile
- » glass packet to 32 mm
- » open steel in frame
- » 2 profile embedded seals
- » only in white


STANDARD COLOURS



golden oak



nut



swamp oak



tabasco



mahogany



silver-grey



dark-grey

sample of colours meant only for illustration

TABLE OF PVC WINDOWS ACCESSORIES

WINDOWS	DPT-90/DPTS-90	DPE-70	DPE-70+	DPP-70	DPO-70
Profiles thickness in [mm]	90	70	70	70	70
Number of chambers in frame	6	5	5	5	5
Number of chambers in sash	6	5/4	5	5/4	5
Standard glass U _g (W/m ² K)	0.6 EN673	1.0 EN674	1.0 EN674	1.0 EN674	1.0 EN674
Number of seals (on frame and sash connection)	3	2	2	2	2
FITTINGS					
proPilot					●
Tilt blockade					●
Microventilation					●
Handle rotation blockade					○
Balcony latch BK					○
activPilot Concept	●	●	●	●	
* 4-stage tilting mechanism	●	●	●	●	
* Microventilation	●	●	●	●	
* Anti-burglary hook	●	●	●	●	
Handle rotation blockade	○	○	○	○	
Balcony latch and handle rotation blockade	○	○	○	○	
Balcony latch BK	○	○	○	○	
WK1	○	○	○	○	
WK2	○	○	○	○	
Opening limiter	○	○	○	○	
Window brake	○	○	○	○	
Window lock	○	○	○	○	
activPilot SELECT hidden fittings	○	○	○	○	
* Microventilation	●	●	●	●	
* 2 Anti-burglary hooks	●	●	●	●	
Opening limiter	●	●	●	●	
* Handle rotation blockade	●	●	●	●	
Balcony latch and handle rotation blockade	○	○	○	○	
Balcony latch BK	○	○	○	○	
autoPilot ERGO	○	○	○	○	
Handle rotation blockade	●	●	●	●	
Window lock	●	●	●	●	
HANDLES					
PVC	○	○	○	○	●
ALUMINIUM	●	●	●	●	○
ALUMINIUM with blockade	○	○	○	○	○
ALUMINIUM with key	○	○	○	○	○
SECUSTIK	○	○	○	○	○
SECUSTIK with key	○	○	○	○	○

* in RU sash

● standard accessories ○ additional accessories

Standard colours of windows accessories

WINDOWS	HANDLES	COVERS	SEALS
WHITE	white	white	black
WINDOWS 1 x COLOUR	white	white	black
WINDOWS 2 x WOOD-LIKE COLOUR	brown	brown	black
WINDOWS 2 x COLOUR-UNUSUAL (RAL)	SECUSTIK silver	F1 (silver)	black

OTHER PVC SOLUTIONS

WINDOW DPP-70R65



- » renovation system
- » sash height 65 mm
- » 3-chamber 70 mm profile
- » glass packet to 42 mm
- » full steel in frame
- » 2 retractable seals
- » possibility of central handle use
- » possibility of use sashes from system DPE-70 and DPE-70+

WINDOW DPP-70R30



- » renovation system
- » sash height 30 mm
- » 3-chamber 70 mm profile
- » glass packet to 42 mm
- » full steel in frame
- » 2 retractable seals
- » possibility of central handle use
- » possibility of use sashes from system DPE-70 and DPE-70+

WINDOW DPP-70R35



- » renovation system
- » sash height 35 mm
- » interior frame width 74 mm
- » 5-chamber 70 mm profile
- » glass packet to 42 mm
- » full steel in frame
- » 2 retractable seals
- » possibility of central handle use
- » possibility of use sashes from system DPE-70 and DPE-70+

WINDOW DPP-70MB



- » monoblock system
- » 5-chamber profile
- » glass packet to 42 mm
- » full steel in frame
- » 2 retractable seals
- » possibility of central handle use
- » possibility of use sashes from system DPE-70 and DPE-70+
- » possibility of use monoblocks 100 mm, 120 mm, 140 mm and 160 mm

CHOSEN SPECIAL COLOURS



daglesia



brown



siena noce



siena rosso



winchester



blue



dark-green

sample of colours meant only for illustration

WINDOW DPP-70A



- » windows opening to outside
- » 5-chamber 70 mm profile
- » glass packet to 42 mm
- » classic sash and frame
- » full steel in frame
- » 2 retractable seals
- » easyPilot tilt fittings

WINDOW EKOSOL 70



- » sliding windows system
- » 3-chamber 70 mm profile
- » glass packet to 26 mm
- » full steel in frame
- » 2 brush seals
- » maximum width 3,5 m
- » maximum height 1,6 m
- » maximum sash width 1 m

DOOR EKOSOL 70



- » sliding door system
- » 3-chamber 70 mm profile
- » glass packet to 26 mm
- » full steel in frame
- » 2 brush seals
- » maximum width 3,5 m
- » maximum height 2,4 m
- » maximum sash width 1,7 m

WINDOWS DANLINE 70



- » windows opening to outside
- » 5-chamber profile, thickness 70/116 mm
- » glass packet to 42 mm
- » full steel in frame and sash
- » 2 retractable seals
- » max. sash weight 45 kg

LIFT-SLIDING DOOR HST



- » 7-chamber 170 mm frame profile with thermal insert
- » 5-chamber 70 mm sash profile
- » glass packet to 42 mm
- » aluminium doorstep with thermal insert (possibility of floor and doorstep surfacing from outside)
- » maximum width 6,5 m
- » maximum height 2,7 m
- » possibility of different constructions

Novelty!

- » HST door with the automatic opening of the well-known Hautau company.

TILT-SLIDING DOOR HKS



- » construction available in series: DPT-90, DPE-70, DPE-70+, DPP-70
- » no option of floor and doorstep surfacing
- » maximum construction area 6,5 m²
- » possibility of different constructions

ACCORDION DOOR



- » construction available in DPP-70 series
- » maximum width 4 m
- » maximum height 2,2 m
- » maximum sash width 0,9 m
- » wide light passage
- » possibility of different constructions

UNUSUAL WINDOWS



For the customers who are looking for non-standard solutions, DAKO has prepared many original window shapes which will make the most requiring customers satisfied. The unusual shapes production is possible due to the sophisticated machines in DAKO.

CHOSEN SPECIAL COLOURS



hued daglesia



mountain pine



oregon




light oak



dark-red



emerald-green




dark-grey mat

sample of colours meant only for illustration

PVC OUTSIDE DOOR

DAKO Company produces PVC doors of latest generation profiles. They are featured by very high thermal and acoustic insulation as well as optimal stability due to extensive steel reinforcements. The doorstep construction is the guarantee

of perfect bottom part insulation and double seals eliminate draught and heat loss. The application of aluminium drip cap allows for proper water drainage.



Standard colours of doors opening to inside

DOOR (colour)	HANDLES	HINGES	FITTINGS
WHITE	white	white	1 lock, 2 bolts
DOOR 1 x WOOD-LIKE COLOUR	brown/white	white	1 lock, 2 bolts
DOOR 1 x UNTYPICAL (RAL) COLOUR	silver (F1)	white	1 lock, 2 bolts
DOOR 2 x WOOD-LIKE COLOUR	brown	brown	1 lock, 2 bolts
DOOR 2 x UNTYPICAL (RAL) COLOUR	silver (F1)	silver (EV1)	1 lock, 2 bolts

PVC DOOR SERIES

DAKO SERIES

DAKO door series is made on the basis of patterns below or according to individual customer's project.



alaska



arizona



dakota



montana



nevada



oklahoma

ADECO SERIES

ADECO door series is made of door profiles and insert panels of GFK 36 mm thick sandwich



india



oberon




opal



skala



solar



texel

ARTDOR SERIES

ARTDOR door series is made of door profiles and insert panels of ABS 24 mm thick sandwich



venco



vito



vivo



zara



zagi



zico

Standard door colours are: white (except for India), golden oak and nut. There are also other patterns and colours available.