

JIANGYIN BO WELL MACHINERY CO., LTD

ADD: NO.85, XiLi Road, Cangshan Village, Li Gang Town, JiangYin, Jiangsu, China Tell: 86-510-86609858 Fax: 86-510-86609857 Email: carl_xu@188.com MSN: xushudong83@hotmail.com http://bowell-implement.en.made-in -china.com www.bowell-implement.com

DELUXE SLASHERS SERIES					
No.	Model	Packing Size	Picture	Tractor power	
1	DS3FT6	1.20X1.34X0.46Meter; 50units/40ft		18-28hp	
2	DS4FT	1.30X1.43X0.46Meter; 45units/40ft		20-35hp	
3	DS4FT6	1.35X1.50X0.46Meter; 40units/40ft		25-40hp	
4	DS5FT	1.66X1.80X0.46Meter; 35units/40ft		30-45hp	
5	DS6FT	1.90X2.10X0.46Meter; 30units/40ft		50-85hp	
6	DS7FT	2.20X2.30X0.46Meter; 25units/40ft		70-120hp	
7	Blade				
	Note: 1. Above model are with big gear box with heavy duty design, and rear wheel. 2. PTO shaft with bolting braking system for safety are included.				

TM series Topper Mower:

No.	Model	Packing Size	Picture	Tractor power
1	TM110	1.15X1.40X0.45Meter; 55units/40ft	The state of the s	15-28hp
2	TM140	1.45X1.70X0.45Meter; 50units/40ft		20-35hp
3	TM160	1.65X1.90X0.45Meter; 45units/40ft		30-45hp
4	TM170	1.75X2.00X0.45Meter; 40units/40ft		35-55hp
5	Rear wheel		THEFT	
6	Blade		A. Carrier and Car	

^{1.}PTO shaft are included.

EF series Flail Mower

No.	Model	Packing Size	Picture	Tractor power
1	EF85	1unit fit in one package with size:		15-25hp
2	EF95	1.05X0.70X0.50Meter; 132units/40ft	B-175	15-25hp
3	EF105	1unit fit in one package with size: 1.28X0.75X0.50Meter; 108units/40ft 1unit fit in one package with size: 1.48X0.75X0.50Meter; 96units/40ft		15-25hp
4	EF115			15-25hp
5	EF125			20-30hp
6	EF135			20-30hp
7	EF145	1unit fit in one package with size:		20-35hp
8	EF155	1.68X0.75X0.50Meter; 84units/40ft		20-35hp
9	EF165	1unit fit in one package with size:		20-40hp
10	EF175	1.88X0.75X0.50Meter; 76units/40ft		30-45hp
11	Y blade			
12	H blade	Hammer blades for EF		
	1.PTO shaft a	are included.		
	2. Two kinds of blade as optional are all interchangeable.			

^{2.}Rear wheel for balance are available as optional.

ͰĠ	C series F			
	EFGC105	1unit fit in one package with size:		18-28hp
	EFGC115	1.38X0.75X0.50Meter; 100units/40ft		20-30hp
	EFGC125	1.501101/5110.501victor, 1.50dimes, 101t	64	20-35hp
	EFGC135	1unit fit in one package with size:		25-35hp
	EFGC145	1.58X0.75X0.50Meter; 88units/40ft		25-35hp
	EFGC155	1	19	30-40hp
	EFGC165	1unit fit in one package with size: 1.90X.85X0.60Meter; 52units/40HQ	The state of the s	35-45hp
	EFGC175	1.50X.65X0.00Wete1, 52umts/4011Q		35-55hp
	EFGC185	1unit fit in one package with size:		35-55hp
	EFGC195	2.10X.85X0.60Meter; 52units/40HQ	NO.	40-60hp
Note:	2.PTO shaft a	s has big gear box with heavy duty design; re included. of blade as optional are all interchangeable.	1 1	1
FEG	CU sorios	L Elail Moyyar		
<u>U'1'</u>	EFGCH105	Flail Mower	1	10 201
	EFGCH105	lunit fit in one package with size:		18-28hp 18-28hp
	EFGCH125	1.38X0.75X0.50Meter; 100units/40ft	₩.	20-28hp
	EFGCH135	lunit fit :- one peakege with size.		25-35hp
	EFGCH145	1unit fit in one package with size: 1.58X0.75X0.50Meter; 88units/40ft		25-35hp
	EFGCH155			30-40hp
	EFGCH165	1unit fit in one package with size:		35-55hp
	EFGCH175	1.90X.85X0.60Meter; 52units/40HQ		35-55hp
	EFGCH185	1unit fit in one package with size:		35-55hp
	EFGCH195	2.10X.85X0.60Meter; 52units/40HQ		40-60hp
	(A) (A)	es for EFGCH		
Note:	2.PTO shaft a	ies has big gear box with heavy duty design, S re included. of blade as optional are all interchangeable.	de shift function.	
RIIS	H CUTTE			
<u> </u>	11 CC111	ER	500	
<u></u>	BCRL/AGL1 25			25 - 35hp
	BCRL/AGL1			
	BCRL/AGL1 25	1.43X0.78X0.60Meter;92units/40hq		
	BCRL/AGL1 25 BCRL145 Y blades H blades	1.43X0.78X0.60Meter;92units/40hq 1.63X0.78X0.60Meter;60units/40hq		40-85HP
	BCRL/AGL1 25 BCRL145 Y blades H blades BCRI140	1.43X0.78X0.60Meter;92units/40hq 1.63X0.78X0.60Meter;60units/40hq 1.83X0.90X0.80Meter;39units/40hq		40-85HP 25 - 35hp
	BCRL/AGL1 25 BCRL145 Y blades H blades BCRI140 BCRI180	1.43X0.78X0.60Meter;92units/40hq 1.63X0.78X0.60Meter;60units/40hq 1.83X0.90X0.80Meter;39units/40hq 2.23X1.00X0.80Meter;33units/40hq		40-85HP 25 - 35hp 40-60hp
	BCRL/AGL1 25 BCRL145 Y blades H blades BCRI140 BCRI180 BCRI200	1.43X0.78X0.60Meter;92units/40hq 1.63X0.78X0.60Meter;60units/40hq 1.83X0.90X0.80Meter;39units/40hq 2.23X1.00X0.80Meter;33units/40hq 2.40X1.00X0.80Meter;30units/40hq		25 - 35hp 40-60hp 60-80hp
	BCRL/AGL1 25 BCRL145 Y blades H blades BCRI140 BCRI180 BCRI200 BCRI220	1.43X0.78X0.60Meter;92units/40hq 1.63X0.78X0.60Meter;60units/40hq 1.83X0.90X0.80Meter;39units/40hq 2.23X1.00X0.80Meter;33units/40hq		40-85HP 25 - 35hp 40-60hp
	BCRL/AGL1 25 BCRL145 Y blades H blades BCRI140 BCRI180 BCRI200 BCRI220 Y blades	1.43X0.78X0.60Meter;92units/40hq 1.63X0.78X0.60Meter;60units/40hq 1.83X0.90X0.80Meter;39units/40hq 2.23X1.00X0.80Meter;33units/40hq 2.40X1.00X0.80Meter;30units/40hq		25 - 35hp 40-60hp 60-80hp
	BCRL/AGL1 25 BCRL145 Y blades H blades BCRI140 BCRI180 BCRI200 BCRI220 Y blades H blades	1.43X0.78X0.60Meter;92units/40hq 1.63X0.78X0.60Meter;60units/40hq 1.83X0.90X0.80Meter;39units/40hq 2.23X1.00X0.80Meter;33units/40hq 2.40X1.00X0.80Meter;30units/40hq 2.50X1.00X0.80Meter;30units/40hq		40-85HF 25 - 35hp 40-60hp 60-80hp
	BCRL/AGL1 25 BCRL145 Y blades H blades BCRI140 BCRI180 BCRI200 BCRI220 Y blades H blades 1. PTO shaft a	1.43X0.78X0.60Meter;92units/40hq 1.63X0.78X0.60Meter;60units/40hq 1.83X0.90X0.80Meter;39units/40hq 2.23X1.00X0.80Meter;33units/40hq 2.40X1.00X0.80Meter;30units/40hq 2.50X1.00X0.80Meter;30units/40hq		25 - 35hp 40-60hp 60-80hp
	BCRL/AGL1 25 BCRL145 Y blades H blades BCRI140 BCRI180 BCRI200 BCRI220 Y blades H blades 1. PTO shaft a	1.43X0.78X0.60Meter;92units/40hq 1.63X0.78X0.60Meter;60units/40hq 1.83X0.90X0.80Meter;39units/40hq 2.23X1.00X0.80Meter;33units/40hq 2.40X1.00X0.80Meter;30units/40hq 2.50X1.00X0.80Meter;30units/40hq		25 - 35hp 40-60hp 60-80hp

	DRM130 (2ps disc plate)	1.60X1.30X1.00Meter; 70units/40ft	****
	DRM170 (4ps disc plate)	1.90X1.50X1.00Meter; 50units/40ft	
	DRM215 (5ps disc plate)	2.10X1.60X1.10Meter; 50units/40ft	
	DRM255 (6ps disc plate)	2.401.60X1.10Meter; 50units/40ft	2009/09/10
	Blades		
ote:	1. PTO shaft v	with bolting braking system for safety are included	led.
	ATV120	with13hp Chinese engine without electric start	
		with 13hp Chinese engine with electric start	
oto	the machine.		pcs/20ft, 65pcs/40hq, the engine packaged by mounting side o
oia	ry tiller		Le con
oia	HTL90	1.15X0.80X0.72m; 72units/40ft	15-25hp
ola.	HTL90 HTL105	1.30X0.80X0.72m; 69units/40ft	20-30hp
ota	HTL90 HTL105 HTL125	1.30X0.80X0.72m; 69units/40ft 1.45X0.80X0.72m; 48units/40ft	20-30hp 20-35hp
oia	HTL90 HTL105 HTL125 HTL135	1.30X0.80X0.72m; 69units/40ft 1.45X0.80X0.72m; 48units/40ft 1.55X0.80X0.72m; 48units/40ft	20-30hp 20-35hp 30-45hp
ola.	HTL90 HTL105 HTL125 HTL135 HTL150	1.30X0.80X0.72m; 69units/40ft 1.45X0.80X0.72m; 48units/40ft 1.55X0.80X0.72m; 48units/40ft 1.75X0.80X0.72m; 42units/40ft	20-30hp 20-35hp 30-45hp 35-50hp
ota.	HTL90 HTL105 HTL125 HTL135 HTL150 HTL180	1.30X0.80X0.72m; 69units/40ft 1.45X0.80X0.72m; 48units/40ft 1.55X0.80X0.72m; 48units/40ft 1.75X0.80X0.72m; 42units/40ft 2.05X0.80X0.72m; 42units/40ft	20-30hp 20-35hp 30-45hp 35-50hp 35-55hp
ota.	HTL90 HTL105 HTL125 HTL135 HTL150 HTL180 IGN-90	1.30X0.80X0.72m; 69units/40ft 1.45X0.80X0.72m; 48units/40ft 1.55X0.80X0.72m; 48units/40ft 1.75X0.80X0.72m; 42units/40ft 2.05X0.80X0.72m; 42units/40ft 115*80*72cm	20-30hp 20-35hp 30-45hp 35-50hp 35-55hp 15-25hp
ota.	HTL90 HTL105 HTL125 HTL135 HTL150 HTL180 IGN-90 IGN-105	1.30X0.80X0.72m; 69units/40ft 1.45X0.80X0.72m; 48units/40ft 1.55X0.80X0.72m; 48units/40ft 1.75X0.80X0.72m; 42units/40ft 2.05X0.80X0.72m; 42units/40ft 115*80*72cm 130*80*72cm	20-30hp 20-35hp 30-45hp 35-50hp 35-55hp 15-25hp 20-30hp
ota.	HTL90 HTL105 HTL125 HTL135 HTL150 HTL180 IGN-90 IGN-105 IGN-125	1.30X0.80X0.72m; 69units/40ft 1.45X0.80X0.72m; 48units/40ft 1.55X0.80X0.72m; 48units/40ft 1.75X0.80X0.72m; 42units/40ft 2.05X0.80X0.72m; 42units/40ft 115*80*72cm 130*80*72cm	20-30hp 20-35hp 30-45hp 35-50hp 35-55hp 15-25hp 20-30hp 20-35hp
ota.	HTL90 HTL105 HTL125 HTL135 HTL150 HTL180 IGN-90 IGN-105 IGN-125 IGN-135	1.30X0.80X0.72m; 69units/40ft 1.45X0.80X0.72m; 48units/40ft 1.55X0.80X0.72m; 48units/40ft 1.75X0.80X0.72m; 42units/40ft 2.05X0.80X0.72m; 42units/40ft 115*80*72cm 130*80*72cm 150*80*72cm 160*80*72cm	20-30hp 20-35hp 30-45hp 35-50hp 35-55hp 15-25hp 20-30hp 20-35hp 30-45hp
oia	HTL90 HTL105 HTL125 HTL135 HTL150 HTL180 IGN-90 IGN-105 IGN-125 IGN-135 IGN-150	1.30X0.80X0.72m; 69units/40ft 1.45X0.80X0.72m; 48units/40ft 1.55X0.80X0.72m; 48units/40ft 1.75X0.80X0.72m; 42units/40ft 2.05X0.80X0.72m; 42units/40ft 115*80*72cm 130*80*72cm 150*80*72cm 160*80*72cm 175*80*72cm	20-30hp 20-35hp 30-45hp 35-50hp 35-55hp 15-25hp 20-30hp 20-35hp 30-45hp 35-50hp
oua.	HTL90 HTL105 HTL125 HTL135 HTL150 HTL180 IGN-90 IGN-105 IGN-125 IGN-135	1.30X0.80X0.72m; 69units/40ft 1.45X0.80X0.72m; 48units/40ft 1.55X0.80X0.72m; 48units/40ft 1.75X0.80X0.72m; 42units/40ft 2.05X0.80X0.72m; 42units/40ft 115*80*72cm 130*80*72cm 150*80*72cm 160*80*72cm	20-30hp 20-35hp 30-45hp 35-50hp 35-55hp 15-25hp 20-30hp 20-35hp 30-45hp
	HTL90 HTL105 HTL125 HTL135 HTL150 HTL180 IGN-90 IGN-105 IGN-125 IGN-135 IGN-150	1.30X0.80X0.72m; 69units/40ft 1.45X0.80X0.72m; 48units/40ft 1.55X0.80X0.72m; 48units/40ft 1.75X0.80X0.72m; 42units/40ft 2.05X0.80X0.72m; 42units/40ft 115*80*72cm 130*80*72cm 160*80*72cm 175*80*72cm 205*80*72cm	20-30hp 20-35hp 30-45hp 35-50hp 35-55hp 15-25hp 20-30hp 20-35hp 30-45hp 35-50hp 35-55hp
	HTL90 HTL105 HTL105 HTL125 HTL135 HTL150 HTL180 IGN-90 IGN-105 IGN-125 IGN-125 IGN-135 IGN-130 IGN-150 IGN-180	1.30X0.80X0.72m; 69units/40ft 1.45X0.80X0.72m; 48units/40ft 1.55X0.80X0.72m; 48units/40ft 1.75X0.80X0.72m; 42units/40ft 2.05X0.80X0.72m; 42units/40ft 115*80*72cm 130*80*72cm 160*80*72cm 175*80*72cm 205*80*72cm	20-30hp 20-35hp 30-45hp 35-50hp 35-55hp 15-25hp 20-30hp 20-35hp 30-45hp 35-50hp
	HTL90 HTL105 HTL105 HTL125 HTL135 HTL150 HTL180 IGN-90 IGN-105 IGN-125 IGN-125 IGN-135 IGN-150 IGN-180 Blade with	1.30X0.80X0.72m; 69units/40ft 1.45X0.80X0.72m; 48units/40ft 1.55X0.80X0.72m; 48units/40ft 1.75X0.80X0.72m; 42units/40ft 2.05X0.80X0.72m; 42units/40ft 115*80*72cm 130*80*72cm 160*80*72cm 175*80*72cm 205*80*72cm	20-30hp 20-35hp 30-45hp 35-50hp 35-55hp 15-25hp 20-30hp 20-35hp 30-45hp 35-50hp 35-55hp
	HTL90 HTL105 HTL105 HTL125 HTL135 HTL150 HTL180 IGN-90 IGN-105 IGN-125 IGN-135 IGN-135 IGN-150 IGN-180 Blade with	1.30X0.80X0.72m; 69units/40ft 1.45X0.80X0.72m; 48units/40ft 1.55X0.80X0.72m; 48units/40ft 1.75X0.80X0.72m; 42units/40ft 2.05X0.80X0.72m; 42units/40ft 115*80*72cm 130*80*72cm 160*80*72cm 175*80*72cm 205*80*72cm	20-30hp 20-35hp 30-45hp 35-50hp 35-55hp 15-25hp 20-30hp 20-35hp 30-45hp 35-50hp 35-50hp 35-55hp

Rea	ar Grader I	Blade with Rippers	
	BB-4FT		15-22hp
	BB-5FT	2 ps in one Pallet the packing size of pallet: 2.0XX1.50X0.73Meter; 48units/40ft	18-35hp
	BB-6FT	48units/40ft	25-50hp
an	nd scraper]	Rake	
	LR-4FT	200	15-22hp
	LR-5FT	5 ps in one Pallet	18-35hp
	LR-6FT	the packing size of pallet: 2.0XX1.50X0.83Meter;	
		2.0AA1.30A0.83Meter; —200units/40ft	25-50hp
	LR-8FT		50-60hp
rai	nsporter be	OX	
	TB120		
	TB130	-	
	TD 150	5 ps in one Pallet	
	TB150	the packing size of pallet: 1.50XX1.30X0.83Meter;	
	TB180	250units/40ft	
	TB210		
	•		•
og	g splitter		
	LS18T		15-55hp
	LS22T	-	
	5. 2	5 ps in one Pallet, and the packing size of pallet is :2.0XX0.71X2.10Meter;	15-55hp
	LSP18T	90units/40ft	20-60hp
	LSP22T		20-60hp
	1. For the se	ries of LSP, the PTO shaft, hydraulic pump, gear box are inc	cluded.
ol	le digger		
	HDG-L		25-40hp
	HDG-L50	_	35-55hp
	HHDG-L	_	25-40hp
	HHDG-L50		40-60hp
	A-6 A-8	5units in one Pallet, Packing size is:	
	A-8 A-10	1.70X1.00x0.75Meter, 105units/20ft	*
	A-10 A-12	-	
	A-14	┥ ★	
	1111		

	-			
	A-16		•	
	A-18			
Š v	PTO shaft wit	h bolting braking system for safety are include	ed.	•
		above model are not included the Auger.		
		HHDG-L50 are with hydraulic RAM.		
			H1300 x Dia. 155mm14kgs	
			r-H1300 x Dia. 270mm20kgs	
			-H1300 x Dia. 360mm32kgs -H1300 x Dia. 430mm42kgs	
	A-10 Augei-F	11300 x Dia. 400iiiii40kgs — A-18 Augei	-H1300 x Dia. 430IIIII42kg8	
9 2	2			
S-				
SNO	W BLAD	E		
	SP1400	1.41×0.72×0.64M 70unit/40ft		
	SP1600	1.61×0.72×0.64M 63units/40ft		
8	SP1800	1.81×0.72×0.64M 57units/40ft		
	SP2000	2.01×0.72×0.64M 51units/40ft		
	SP2200	2.21×0.72×0.64M 45units/40ft		
	SP2400	2.41×0.72×0.64M 36units/40ft		
FRO:	<u>NT LOAI</u>	DER SERIES	_	
	LD300	2units fit in one package with size:		20-30hp
	LD400	2.25X1.27X1.1Meter; 36units/40ft		30-40hp
	LD500	3units fit in one package with size:		40-50hp
	LD600	2.25X1.25X2.2Meter; 27units/40ft		50-60hp
	LD800	2units fit in one package with size:		60-80hp
	LD1000	2.25X1.5X2.2Meter; 16units/40ft		80-90hp
Ç.	LD1200			120-140hp
8	LD1200	3units fit in one package with size: 2.9X1.6X2.5Meter; 12units/40HQ		140-160hp
	LD1300	2.9X1.0X2.5Weter, 12ums/4011Q	1	140-100lip
	Above model	offered are with Quick release Arms & Attach	ment design high float position lifting stan	dard control valve and
		nick release bucket.	illient design, high float position fitting, stan	dard control varve and
Note:		g size to tractor is changed with the different b	orand tractor, the detailed specification of the	e matched tractor is
	necessary whe	en ordering.		
2	2			
		A		
	-	ase Attachment for LD300: bucket(1.52Meter wide): USD247.00		
		ombined bucket(1.52Meter wide) with double	cylinder :USD470 00	
		ed fork(1.52Meter wide) including Pallet fork	•	
		ase Attachment for LD400:		
	A. standard	bucket (1.67Meter wide): USD266.00		
-		pined bucket(1.67Meter wide) with double cyli		
		fork(1.67Meter wide) including Pallet fork an	d spike fork :USD269.00	
	-	ase Attachment for LD500&LD600:		
		bucket (1.83Meter wide): USD316.00 pined bucket(1.83Meter wide) with double cyli	inder :USD548 00	
		fork(1.83Meter wide) including Pallet fork an		
		ase Attachment for LD800:	1	
	-	bucket (1.98Meter wide): USD336.00		
		pined bucket(1.98Meter wide) with double cyli		
		fork(1.98Meter wide) including Pallet fork an	d spike fork:USD363.00	
e ,				
S X	5. Quick Rele	ase Attachment for LD1000:		
g	5. Quick Rele A. standard	ase Attachment for LD1000: bucket (2.10Meter wide): USD378.00	inder :USD666 00	
	5. Quick Rele A. standard B.4 in 1 comb	ase Attachment for LD1000: bucket (2.10Meter wide): USD378.00 bined bucket(2.10Meter wide) with double cyli		
3	5. Quick Rele A. standard B.4 in 1 comb C. Combined	ase Attachment for LD1000: bucket (2.10Meter wide): USD378.00 bined bucket(2.10Meter wide) with double cyli fork(2.10Meter wide) including Pallet fork an		
	5. Quick Rele A. standard B.4 in 1 comb C. Combined 6. Quick Rele	ase Attachment for LD1000: bucket (2.10Meter wide): USD378.00 bined bucket(2.10Meter wide) with double cyli		

- B.4 in 1 combined bucket(2.18Meter wide) with double cylinder: USD820.00
- C. Combined fork(2.18Meter wide) including Pallet fork and spike fork: USD530.00
- 7. Single joy-stick device for above model: USD95.00 extra
- 8. Electromagnetic valve for above model: USD340.00 extra

BACKHOLE SERIES

No.	Model	Packing Size	Picture	Tractor power
1	BH6600	1.55X0.70X1.50Meter;34units/40ft		18-35hp
2	BH7600	1.65X0.72X1.70Meter;32units/40ft		25-45hp
3	BH8600	2.27X1.25X1.10Meter/2;36units/40ft		40-65hp
4	BH9600	2.27X1.35X1.10Mete/2;34units/40ft		65-90hp

Note:

Above model offered are with Standard Chinese Control Valve, JIC Standard Fitting,

Dual Swing Cylinder for 180 degree, comfortable seat with belt for safety, and WITHOUT bucket.

9" Backhoe Bucket for above: USD75.00 12" Backhoe Bucket for above: USD80.00 15" Backhoe Bucket for above: USD95.00 18" Backhoe Bucket for above: USD105.00 35" Backhoe Bucket for above: USD140.00

Reservoir Tank with filter+ Gear box with Chinese hydraulic pump: USD150.00 Reservoir Tank with filter+ Gear box with Italian hydraulic pump: USD280.00

Outstanding Italian Control Valve: USD360.00 extra

Thumb mounting for grab: USD110.00

Sub-frame mounting to front end loader and tractor: USD230.00

(The connecting size between Sub-Frame and tractor is changed with the different brand tractor, the detailed Parameters of

Chassis of matched tractor is necessary when ordering.)