

## AIRPRESS 15

Version 2.0

Revision Date 28.07.2015

Print Date 29.07.2015

### 1. Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Product name : AIRPRESS 15

Article-No. : 035005

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Lubricating oil

Recommended restrictions on use : Restricted to professional users.

#### 1.3 Details of the supplier of the safety data sheet

KLÜBER LUBRICATION MÜNCHEN  
Geisenhausenerstrasse 7  
D-81379 München  
Deutschland  
Tel: +49 (0) 897876-0  
Fax: +49 (0) 897876-333

E-mail address : mcm@klueber.com  
Responsible/issuing person : Material Compliance Management

National contact : Klüber Lubrication AG (Schweiz)  
Thurgauerstrasse 39  
8050 Zürich  
Tél +41 44 308 69 69 (08.00 - 17.00 h)  
Fax +41 44 308 69 44

#### 1.4 Emergency telephone number

Tox-Zentrum (Tel. +41 145, 24h)

---

## 2. Hazards identification

### 2.1 Classification of the substance or mixture

#### Classification (REGULATION (EC) No 1272/2008)

Aspiration hazard, Category 1 H304: May be fatal if swallowed and enters airways.

Chronic aquatic toxicity, Category 3 H412: Harmful to aquatic life with long lasting effects.

#### Classification (67/548/EEC, 1999/45/EC)

Dangerous for the environment R52/53: Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic

## AIRPRESS 15

Version 2.0

Revision Date 28.07.2015

Print Date 29.07.2015

environment.

### 2.2 Label elements

#### Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms	:		
Signal word	:	Danger	
Hazard statements	:	H304 H412	May be fatal if swallowed and enters airways. Harmful to aquatic life with long lasting effects.
Precautionary statements	:	<b>Prevention:</b> P273 <b>Response:</b> P301 + P310  P331 <b>Storage:</b> P405	Avoid release to the environment.  IF SWALLOWED: Immediately call a POISON CENTER or doctor/ physician. Do NOT induce vomiting.  Store locked up.

Hazardous components which must be listed on the label:  
64742-55-8 distillates (petroleum), hydrotreated light paraffinic

### 2.3 Other hazards

## 3. Composition/information on ingredients

### 3.2 Mixtures

Chemical nature : Mineral oil.  
ester oil

#### Hazardous components

Chemical Name	CAS-No. EC-No. Index-No. Registration number	Classification (67/548/EEC)	Classification (REGULATION (EC) No 1272/2008)	Concentration [%]
distillates (petroleum), hydrotreated light paraffinic	64742-55-8 265-158-7 649-468-00-3 / 01- 2119487077- 29-XXXX		Asp. Tox. 1; H304	>= 30 - < 50
Phenol, isopropylated, phosphate (3:1)	68937-41-7 273-066-3	Xn; R48/22 Repr.Cat.3; R62- R63 N; R51/53	Repr. 2; H361 STOT RE 2; H373 Aquatic Chronic 2; H411	>= 0,3 - < 1

## AIRPRESS 15

Version 2.0

Revision Date 28.07.2015

Print Date 29.07.2015

triphenyl phosphate	115-86-6 204-112-2	N; R50/53	Aquatic Acute 1; H400 Aquatic Chronic 1; H410	>= 0,1 - < 0,25
2,6-di-tert-butyl-p-cresol	128-37-0 204-881-4 / 01- 2119555270- 46-XXXX	N; R50/53	Aquatic Acute 1; H400 Aquatic Chronic 1; H410	>= 0,1 - < 0,25

For the full text of the R-phrases mentioned in this Section, see Section 16.

For the full text of the H-Statements mentioned in this Section, see Section 16.

Note L: The classification as a carcinogen need not apply if it can be shown that the substance contains less than 3 % DMSO extract as measured by IP 346.

### 4. First aid measures

#### 4.1 Description of first aid measures

- If inhaled : Remove person to fresh air. If signs/symptoms continue, get medical attention.  
Keep patient warm and at rest.  
If unconscious place in recovery position and seek medical advice.  
Keep respiratory tract clear.  
If breathing is irregular or stopped, administer artificial respiration.
- In case of skin contact : Remove contaminated clothing. If irritation develops, get medical attention.  
In case of contact, immediately flush skin with plenty of water.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.
- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 10 minutes.  
If eye irritation persists, consult a specialist.
- If swallowed : Move the victim to fresh air.  
If unconscious place in recovery position and seek medical advice.  
Keep respiratory tract clear.  
Do NOT induce vomiting.  
Rinse mouth with water.  
Never give anything by mouth to an unconscious person.

#### 4.2 Most important symptoms and effects, both acute and delayed

- Symptoms : No information available.
- Risks : None known.

#### 4.3 Indication of any immediate medical attention and special treatment needed

- Treatment : No information available.

## AIRPRESS 15

Version 2.0

Revision Date 28.07.2015

Print Date 29.07.2015

---

### 5. Firefighting measures

#### 5.1 Extinguishing media

Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Unsuitable extinguishing media : High volume water jet

#### 5.2 Special hazards arising from the substance or mixture

Specific hazards during firefighting : Fire may cause evolution of:  
Carbon oxides

#### 5.3 Advice for firefighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment. In the case of respirable dust and/or fumes, use self-contained breathing apparatus. Exposure to decomposition products may be a hazard to health.

Further information : Standard procedure for chemical fires. Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

---

### 6. Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Evacuate personnel to safe areas. Use personal protective equipment. Ensure adequate ventilation. Refer to protective measures listed in sections 7 and 8.

#### 6.2 Environmental precautions

Environmental precautions : Do not allow contact with soil, surface or ground water. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.

#### 6.3 Methods and materials for containment and cleaning up

Methods for cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

#### 6.4 Reference to other sections

For personal protection see section 8.

## AIRPRESS 15

Version 2.0

Revision Date 28.07.2015

Print Date 29.07.2015

### 7. Handling and storage

#### 7.1 Precautions for safe handling

Advice on safe handling : Avoid contact with skin and eyes.  
For personal protection see section 8.  
Smoking, eating and drinking should be prohibited in the application area.  
Wash hands and face before breaks and immediately after handling the product.  
Do not ingest.  
Do not repack.  
Do not re-use empty containers.  
These safety instructions also apply to empty packaging which may still contain product residues.  
Keep container closed when not in use.  
Avoid inhalation of vapour or mist.

#### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Store in original container.  
Keep container closed when not in use.  
Keep in a dry, cool and well-ventilated place.  
Containers which are opened must be carefully resealed and kept upright to prevent leakage.  
Store in accordance with the particular national regulations.  
Keep in properly labelled containers.

#### 7.3 Specific end use(s)

: Consult the technical guidelines for the use of this substance/mixture.

### 8. Exposure controls/personal protection

#### 8.1 Control parameters

Components	CAS-No.	Value type	Control parameters	Update	Basis
triphenyl phosphate	115-86-6	TWA	3 mg/m <sup>3</sup>	2013-01-01	CH SUVA
Further information:	NIOSH				
2,6-di-tert-butyl-p-cresol	128-37-0	TWA	10 mg/m <sup>3</sup>	2013-01-01	CH SUVA
Further information:	SSc: Harm to the unborn child is not to be expected when the OEL-value is respected				
2,6-di-tert-butyl-p-cresol	128-37-0	STEL	40 mg/m <sup>3</sup>	2013-01-01	CH SUVA
Further information:	SSc: Harm to the unborn child is not to be expected when the OEL-value is respected				

## AIRPRESS 15

Version 2.0

Revision Date 28.07.2015

Print Date 29.07.2015

DNEL  
2,6-di-tert-butyl-p-cresol : End Use: Workers  
Exposure routes: Inhalation  
Potential health effects: Long-term systemic effects  
Value: 3,5 mg/m<sup>3</sup>

End Use: Workers  
Exposure routes: Skin contact  
Potential health effects: Long-term systemic effects  
Value: 0,5 mg/kg

PNEC  
2,6-di-tert-butyl-p-cresol : Fresh water  
Value: 0,199 µg/l

Marine water  
Value: 0,0199 µg/l

Intermittent use/release  
Value: 1,99 µg/l

Microbiological Activity in Sewage Treatment Systems  
Value: 0,17 mg/l

Fresh water sediment  
Value: 0,0996 mg/kg

Marine sediment  
Value: 0,00996 mg/kg

Soil  
Value: 0,04769 mg/kg

Oral  
Value: 8,33 mg/kg

### 8.2 Exposure controls

#### Engineering measures

Maintain air concentrations below occupational exposure standards.

#### Personal protective equipment

Respiratory protection : Not required; except in case of aerosol formation.  
Filter type A-P

Hand protection : For prolonged or repeated contact use protective gloves.  
The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.  
The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has

## AIRPRESS 15

Version 2.0

Revision Date 28.07.2015

Print Date 29.07.2015

to be measured for each case.  
In case of contact through splashing:

: Nitrile rubber  
Protective index Class 1

Eye protection : Safety glasses with side-shields conforming to EN166

Hygiene measures : Wash face, hands and any exposed skin thoroughly after handling.

Protective measures : The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.  
Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.

### Environmental exposure controls

General advice : Do not allow contact with soil, surface or ground water.  
Prevent further leakage or spillage if safe to do so.  
If the product contaminates rivers and lakes or drains inform respective authorities.

---

## 9. Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Appearance : liquid  
Colour : yellow  
Odour : characteristic  
Odour Threshold : No data available  
pH : No data available  
Melting point/range : No data available  
Boiling point/boiling range : No data available  
Flash point :  $\geq 140$  °C, Test Method: open cup, ISO 2592  
Evaporation rate : No data available  
Flammability (solid, gas) : No data available  
Lower explosion limit : No data available  
Upper explosion limit : No data available  
Vapour pressure :  $< 0,1$  hPa, 20 °C  
Relative vapour density : No data available  
Density :  $0,88$  g/cm<sup>3</sup>, 20 °C  
Water solubility : insoluble  
Solubility in other solvents : No data available

## AIRPRESS 15

Version 2.0

Revision Date 28.07.2015

Print Date 29.07.2015

Partition coefficient: n-octanol/water	: No data available
Auto-ignition temperature	: No data available
Ignition temperature	: No data available
Viscosity, dynamic	: No data available
Viscosity, kinematic	: 16 mm <sup>2</sup> /s, 40 °C
Oxidizing properties	: No data available

### 9.2 Other information

Sublimation point	: No data available
Bulk density	: No data available

---

## 10. Stability and reactivity

### 10.1 Reactivity

No hazards to be specially mentioned.

### 10.2 Chemical stability

No decomposition if stored and applied as directed.

### 10.3 Possibility of hazardous reactions

Hazardous reactions : No dangerous reaction known under conditions of normal use.

### 10.4 Conditions to avoid

Conditions to avoid : No conditions to be specially mentioned.

### 10.5 Incompatible materials

Materials to avoid : No materials to be especially mentioned.

### 10.6 Hazardous decomposition products

Hazardous decomposition products : No decomposition if stored and applied as directed.

---

## 11. Toxicological information

### 11.1 Information on toxicological effects

#### **Product**

Acute dermal toxicity	: This information is not available.
Skin corrosion/irritation	: This information is not available.
Serious eye damage/eye irritation	: This information is not available.
Respiratory or skin sensitisation	: This information is not available.
Germ cell mutagenicity	
Genotoxicity in vitro	: No data available

## AIRPRESS 15

Version 2.0

Revision Date 28.07.2015

Print Date 29.07.2015

Genotoxicity in vivo	: No data available
Carcinogenicity	: No data available
Reproductive toxicity	: No data available
Teratogenicity	: No data available
Repeated dose toxicity	: This information is not available.
Aspiration toxicity	: This information is not available.
Further information	: Information given is based on data on the components and the toxicology of similar products.

### Components:

#### **distillates (petroleum), hydrotreated light paraffinic :**

Acute oral toxicity	: LD50: > 5.000 mg/kg, rat
Acute inhalation toxicity	: LC50: > 5 mg/l, 4 h, rat, dust/mist
Acute dermal toxicity	: LD50: > 5.000 mg/kg, rabbit
Aspiration toxicity	: May be fatal if swallowed and enters airways.

#### **Phenol, isopropylated, phosphate (3:1) :**

Acute oral toxicity	: LD50: > 20.000 mg/kg, rat
Acute inhalation toxicity	: LC50: > 200 mg/l, 1 h, rat, vapour
Acute dermal toxicity	: LD50: > 10.000 mg/kg, rabbit
Skin corrosion/irritation	: rabbit, Result: No skin irritation, Classification: No skin irritation
Serious eye damage/eye irritation	: rabbit, Result: No eye irritation, Classification: No eye irritation
Respiratory or skin sensitisation	: mouse, Result: Does not cause skin sensitisation., Classification: Does not cause skin sensitisation.
STOT - repeated exposure	: Exposure routes: Ingestion Target Organs: Adrenal gland, Liver, Testes Assessment: The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 2., May cause damage to organs through prolonged or repeated exposure.
STOT - repeated exposure	: Exposure routes: Inhalation Assessment: The substance or mixture is not classified as specific target organ toxicant, repeated exposure.
STOT - repeated exposure	: Exposure routes: Skin contact Assessment: The substance or mixture is not classified as specific target organ toxicant, repeated exposure.
Aspiration toxicity	: No aspiration toxicity classification

## AIRPRESS 15

Version 2.0

Revision Date 28.07.2015

Print Date 29.07.2015

### triphenyl phosphate :

- Acute oral toxicity : LD50: > 20.000 mg/kg, rat, OECD Test Guideline 401
- Acute dermal toxicity : LD50: > 10.000 mg/kg, rabbit, OECD Test Guideline 402
- Skin corrosion/irritation : rabbit, Result: No skin irritation, Classification: No skin irritation, OECD Test Guideline 404, GLP: yes
- Serious eye damage/eye irritation : rabbit, Result: No eye irritation, Classification: No eye irritation, OECD Test Guideline 405, GLP: yes
- Respiratory or skin sensitisation : guinea pig, Result: Does not cause skin sensitisation., Classification: Does not cause skin sensitisation., OECD Test Guideline 406, GLP: yes
- Further information : Information given is based on data on the components and the toxicology of similar products.

### 2,6-di-tert-butyl-p-cresol :

- Acute oral toxicity : LD50: > 5.000 mg/kg, rat, OECD Test Guideline 401
- Acute dermal toxicity : LD50: > 5.000 mg/kg, rat, OECD Test Guideline 402
- Skin corrosion/irritation : rabbit, Result: No skin irritation, Classification: No skin irritation
- Serious eye damage/eye irritation : rabbit, Result: No eye irritation, Classification: No eye irritation
- Respiratory or skin sensitisation : guinea pig, Result: Does not cause skin sensitisation., Classification: Does not cause skin sensitisation.
- Germ cell mutagenicity
- Genotoxicity in vitro : Ames test, Result: negative, In vitro tests did not show mutagenic effects
- Genotoxicity in vivo : In vivo micronucleus test, Result: negative
- Assessment : In vivo tests did not show mutagenic effects
- Reproductive toxicity : rat, NOAEL: 100 mg/kg  
Assessment: No toxicity to reproduction
- STOT - single exposure : Assessment: The substance or mixture is not classified as specific target organ toxicant, single exposure.
- STOT - repeated exposure : Assessment: The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

## 12. Ecological information

### 12.1 Toxicity

#### Product:

- Toxicity to fish : Harmful to aquatic organisms, may cause long-term adverse

## AIRPRESS 15

Version 2.0

Revision Date 28.07.2015

Print Date 29.07.2015

	effects in the aquatic environment.
Toxicity to daphnia and other aquatic invertebrates	: No data available
Toxicity to algae	: No data available
Toxicity to bacteria	: No data available

### **Components:**

#### **distillates (petroleum), hydrotreated light paraffinic :**

Toxicity to fish	: LC50: > 100 mg/l, 96 h, Oncorhynchus mykiss (rainbow trout)
Toxicity to daphnia and other aquatic invertebrates	: EC50: > 10.000 mg/l, 48 h, Daphnia magna (Water flea)

#### **Phenol, isopropylated, phosphate (3:1) :**

Toxicity to fish	: LC50: 1,6 mg/l, 96 h, Oncorhynchus mykiss (rainbow trout), static test
------------------	--

: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Toxicity to daphnia and other aquatic invertebrates	: EC50: 2,44 mg/l, 48 h, Daphnia magna (Water flea), semi-static test
---	---

Toxicity to algae	: EC50: > 2,5 mg/l, 96 h, Pseudokirchneriella subcapitata (green algae), static test, OECD Test Guideline 201, GLP: yes
-------------------	---

M-Factor	: 1
----------	-----

#### **triphenyl phosphate :**

Toxicity to fish	: LC50: 0,4 mg/l, 96 h, Oncorhynchus mykiss (rainbow trout)
------------------	---

: Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Toxicity to daphnia and other aquatic invertebrates	: EC50: 1,0 mg/l, 48 h, Daphnia magna (Water flea), static test
---	---

Toxicity to algae	: EC50: 2 mg/l, 96 h, Pseudokirchneriella subcapitata (green algae)
-------------------	---

M-Factor	: 1
----------	-----

Toxicity to fish (Chronic toxicity)	: NOEC: <= 0,0014 mg/l, 90 d, Oncorhynchus mykiss (rainbow trout)
-------------------------------------	---

### **Ecotoxicology Assessment**

Acute aquatic toxicity : Very toxic to aquatic life.

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

#### **2,6-di-tert-butyl-p-cresol :**

Toxicity to fish	: LC50: > 0,57 mg/l, 96 h, Danio rerio (zebra fish), OECD Test Guideline 203
------------------	--

## AIRPRESS 15

Version 2.0

Revision Date 28.07.2015

Print Date 29.07.2015

- Toxicity to daphnia and other aquatic invertebrates : EC50: > 0,17 mg/l, 48 h, Daphnia magna (Water flea)  
Toxicity to algae : EC50: > 0,42 mg/l, 72 h, Desmodesmus subspicatus (green algae)
- M-Factor : 1  
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: > 0,39 mg/l, 21 d, Daphnia magna (Water flea)

### 12.2 Persistence and degradability

#### Product:

- Biodegradability : No data available  
Physico-chemical removability : No data available

#### Components:

##### **Phenol, isopropylated, phosphate (3:1) :**

- Biodegradability : aerobic, 17,9 %, Result: not rapidly biodegradable, Exposure time: 28 d, activated sludge, OECD 301 D, GLP: yes

##### **triphenyl phosphate :**

- Biodegradability : aerobic, 83 - 94 %, Result: Readily biodegradable., Exposure time: 28 d, activated sludge, OECD 301 C

##### **2,6-di-tert-butyl-p-cresol :**

- Biodegradability : aerobic, 4,5 %, Result: not rapidly biodegradable, Exposure time: 28 d, activated sludge, OECD Test Guideline 301C

### 12.3 Bioaccumulative potential

#### Product:

- Bioaccumulation : This mixture contains no substance considered to be persistent, bioaccumulating nor toxic (PBT)., This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

#### Components:

##### **triphenyl phosphate :**

- Bioaccumulation : Oryzias latipes (Orange-red killifish), Exposure time: 18 d, Concentration: 0,01 mg/l, Bioconcentration factor (BCF): 144

##### **2,6-di-tert-butyl-p-cresol :**

- Bioaccumulation : Bioconcentration factor (BCF): 598,4

### 12.4 Mobility in soil

#### Product:

- Mobility : No data available  
Distribution among environmental compartments : No data available

### 12.5 Results of PBT and vPvB assessment

## AIRPRESS 15

Version 2.0

Revision Date 28.07.2015

Print Date 29.07.2015

### Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### Components:

#### **2,6-di-tert-butyl-p-cresol :**

Assessment : Non-classified PBT substance, Non-classified vPvB substance

## 12.6 Other adverse effects

### Product:

Additional ecological information : Harmful to aquatic life with long lasting effects.

### Components:

#### **Phenol, isopropylated, phosphate (3:1) :**

Additional ecological information : Toxic to aquatic life with long lasting effects.

## 13. Disposal considerations

### 13.1 Waste treatment methods

Product : Waste codes should be assigned by the user based on the application for which the product was used.

: The product should not be allowed to enter drains, water courses or the soil.

Contaminated packaging : Empty containers can be landfilled, when in accordance with the local regulations.

## 14. Transport information

### 14.1 UN number

#### **ADR**

Not dangerous goods

#### **IMDG**

Not dangerous goods

#### **IATA**

Not dangerous goods

### 14.2 Proper shipping name

#### **ADR**

Not dangerous goods

#### **IMDG**

Not dangerous goods

#### **IATA**

Not dangerous goods

### 14.3 Transport hazard class

#### **ADR**

Not dangerous goods

## AIRPRESS 15

Version 2.0

Revision Date 28.07.2015

Print Date 29.07.2015

### IMDG

Not dangerous goods

### IATA

Not dangerous goods

### 14.4 Packing group

#### ADR

Not dangerous goods

#### IMDG

Not dangerous goods

#### IATA

Not dangerous goods

### 14.5 Environmental hazards

#### ADR

Not dangerous goods

#### IMDG

Not dangerous goods

#### IATA

Not dangerous goods

### 14.6 Special precautions for user

No data available

### 14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not available

---

## 15. Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59) : This product does not contain substances of very high concern (Regulation (EC) No 1907/2006 (REACH), Article 57).

Major Accident Hazard Legislation : 96/82/EC Update:  
Petroleum products: (a) gasolines and naphthas, (b) kerosenes (including jet fuels), (c) gas oils (including diesel fuels, home heating oils and gas oil blending streams)  
13  
Quantity 1: 2.500 t  
Quantity 2: 25.000 t

Law on the incentive tax for volatile organic compounds (VOCV) : no VOC duties

### 15.2 Chemical Safety Assessment

This information is not available.

## AIRPRESS 15

Version 2.0

Revision Date 28.07.2015

Print Date 29.07.2015

### 16. Other information

#### Full text of R-phrases referred to under sections 2 and 3

R48/22	Harmful: danger of serious damage to health by prolonged exposure if swallowed.
R50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
R51/53	Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
R52/53	Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
R62	Possible risk of impaired fertility.
R63	Possible risk of harm to the unborn child.

#### Full text of H-Statements referred to under sections 2 and 3.

H304	May be fatal if swallowed and enters airways.
H361	Suspected of damaging fertility or the unborn child.
H373	May cause damage to organs through prolonged or repeated exposure if swallowed.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

#### Further information

This safety datasheet applies only to products originally packaged and labelled by KLÜBER LUBRICATION. The information contained therein is protected by copyright and must not be reproduced or amended without the express written approval of KLÜBER LUBRICATION. This document may be passed on only to the extent required by law. Any dissemination of our safety datasheets (e.g. as a document for download from the Internet) beyond this legally required extent is not permitted without express written consent. KLÜBER LUBRICATION provides its customers with amended safety datasheets as prescribed by law. The customer is responsible for passing on safety datasheets and any amendments contained therein to its own customers, employees and other users of the product. KLÜBER LUBRICATION provides no guarantee that safety datasheets received by users from third parties are up-to-date. All information and instructions in this safety datasheets were compiled to the best of our knowledge and are based on the information available to us. The data provided are intended to describe the product in relation to the required safety measures; they are neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and do not justify any contractual legal relationships.